

GreenPlanet

3 Part Nutrient System Recirculating



Amounts Per L	Growth Stage			Bloom Stage								
	Week 1	Week 2	Week 3	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Flush	
GP3 Basic Feed Program												
GP3 Grow	0.75ml	2.75ml	2.75ml	2.25ml	0.75ml	0.75ml	0.75ml	0.75ml	-	-	-	-
GP3 Bloom	0.75ml	0.75ml	1.5ml	2.25ml	3ml	3ml	3ml	3ml	4ml	4ml	-	-
GP3 Micro	0.75ml	2ml	2.75ml	2.25ml	2ml	2ml	2ml	2ml	2ml	2ml	1.25ml	-
Vitathrive	1ml	2ml	2ml	-	-	2ml	2ml	2ml	2ml	2ml	2ml	-
Rezin	-	-	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml
Massive	-	-	-	-	5ml	5ml	5ml	5ml	5ml	5ml	5ml	-
Liquid Weight	-	-	-	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml
EC	0.7	1.9	2.4	2.3	2.6	2.6	2.6	2.6	2.6	2.6	2.3	0.1
PPM	300-400	900-1000	1150-1250	1100-1200	1250-1350	1250-1350	1250-1350	1250-1350	1250-1350	1250-1350	1100-1200	0-100

Useful Conversions

* This Feed Program is a General Guide.

1 tsp = 5 ml

1 tbsp = 15 ml

1 oz = 30 ml

1 qt = 946 ml

1 L = 1000 ml

1 gal = 3.785 L

Keep nutrient solution temperature between 68° - 72° F (20 - 22° C)

For best results maintain nutrient solution pH between 5.8 to 6.5.

GreenPlanet

3 Part Nutrient System

Drain To Waste



Amounts Per L	Growth Stage			Bloom Stage								
	Week 1	Week 2	Week 3	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Flush	
GP3 Basic Feed Program												
GP3 Grow	0.25ml	1.25ml	1.25ml	1.5ml	0.25ml	0.25ml	0.25ml	0.25ml	-	-	-	-
GP3 Bloom	0.25ml	0.25ml	1ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	2ml	2ml	-	-
GP3 Micro	0.5ml	1ml	1.25ml	1.5ml	1ml	1ml	1ml	1ml	1ml	0.75ml	-	-
Vitathrive	1ml	2.0ml	2.0ml	-	-	2ml	2ml	2ml	2ml	2ml	2ml	-
Rezin	-	-	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml
Massive	-	-	-	-	5ml	5ml	5ml	5ml	5ml	5ml	5ml	-
Liquid Weight	-	-	-	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml	1.5ml
EC	0.4	1.0	1.2	1.6	1.8	1.8	1.8	1.8	1.8	1.7	0.1	-
PPM	150-250	450-550	550-650	750-850	850-950	850-950	850-950	850-950	850-950	800-900	0-100	-

Useful Conversions

* This Feed Program is a General Guide.

1 tsp = 5 ml

1 tbsp = 15 ml

1 oz = 30 ml

1 qt = 946 ml

1 L = 1000 ml

1 gal = 3.785 L

Keep nutrient solution temperature between 68° - 72° F (20 - 22° C)

For best results maintain nutrient solution pH between 5.8 to 6.5.